

GOAT ANTI-DNAJC5 ANTIBODY

SKU: EB11845



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	2610314 24Rik AU018536 Csp cysteine string protein Dnaj (Hsp40) homolog, subfamily C, member 5 dnaj homolog subfamily C member 5 Dnajc5
Accession ID	NP_058055.1
Blocking Peptide	EBP11845
Immunogen	Peptide with sequence C-TQLTADSHPSYHTD, from the C Terminus of the protein sequence according to NP_058055.1.
Peptide Sequence	C-TQLTADSHPSYHTD
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	80331
Mouse Gene ID	13002
Rat Gene ID	79130
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 21kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 22.1kDa according to NP_058055.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse and Rat Brain for this particular batch.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

