

Telephone: (650) 697-3600

GOAT ANTI-DNAJC5 ANTIBODY

SKU: EB11845



Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names 2610314I24Rik|AU018536|Csp|cysteine string protein|DnaJ (Hsp40) homolog, subfamily C, member 5|dnaJ

homolog subfamily C member 5|Dnajc5

Accession

ID

NP_058055.1

Blocking

Peptide

EBP11845

Immunogen

Peptide with sequence C-TQLTADSHPSYHTD, from the C Terminus of the protein sequence according to

NP 058055.1.

Peptide

C-TQLTADSHPSYHTD Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human Gene ID

80331

Human

Mouse

13002 Gene ID

Rat Gene ID 79130

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade ELISA

Detection

Western

Antibody detection limit dilution 1:8000.

Limit

Blot

Approx 21kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 22.1kDa according to NP_058055.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour. Preliminary testing

was unsuccessful on Mouse and Rat Brain for this particular batch.

Application

Type

Pep-ELISA, WB



Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600