
Telephone: (650) 697-3600



 $\textbf{Email:} \ \underline{\textbf{customerservice@vectorlabs.com}}$

GOAT ANTI-DYDC1 ANTIBODY







Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias bA36D19.5|BC019250 protein|DPY30 domain containing 1|DPY30D1|FLJ43920|OTTHUMP00000019963|DYDC1

Names

Accession NP_620167.1

Blocking

Peptide EBP09819

Immunogen Peptide with sequence C-RNEDILHSEEATLD, from the internal region of the protein sequence according to

NP_620167.1.

Peptide

Sequence C-RNEDILHSEEATLD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions Refrigerated

Predicted

Species Human

Reactive

Species Human

Human

Gene ID 143241

Product

Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Blot

Western In transfected HEK293 transiently expressing Human DYDC1 (myc and DYKDDDDK tagged), a band of approx.

28kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using

anti-myc antibody. Recommended concentration, 0.5-1µg/ml.

Application

Type Pep-ELISA, WB-Trf

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

