

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-EBF1 / COE1 ANTIBODY

SKU: EB07809



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Names

Alias

early B-cell factor olfactory neuronal transcription factor 1|Collier, Olf and EBF transcription factor

1|OLF1|O/E-1|EBF|COE1|early B-cell factor 1|EBF1

Immunoprecipitation: Anonymous customer used this product successfully in IP from Usage

induced 3T3-L1 expressing FLAG-EBF1. Summary

Accession

NP_076870.1

Blocking

ID

EBP07809 **Peptide**

Peptide with sequence C-HNQLPALANTSV, from the internal region of the protein sequence according to **Immunogen**

NP 076870.1.

Product

This antibody is expected not to cross-react with EBF2, EBF3 and EBF4. **Comments**

Peptide

C-HNQLPALANTSV Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat **Species**

Reactive

Human, Mouse Species

Human

1879

Gene ID

Mouse

13591 Gene ID

Rat Gene ID 116543

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Approx. 75kDa band observed in Human Adipose lysates (calculated MW of 64.5kDa according to Western

Blot NP 076870.1). Recommended concentration: 0.3-0.1µg/ml.

Application

Pep-ELISA, WB, IP

Type







GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa

20kDa

15kDa