




Telephone: (650) 697-3600



GOAT ANTI-ECT2 ANTIBODY

SKU: EB05995



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

epithelial cell transforming sequence 2 oncogene protein|FL|10461|epithelial cell transforming sequence 2

oncogene|ECT2 **Names**

Usage **Summary**

Immunofluorescence: Strong expression of the protein seen in the nuclei and cytoplasm of A431 and U2OS cells. Recommended concentration: 10µg/ml. Flow Cytometry: Flow

cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.

NP_060568.3; NP_001245244.1; NP_001336023.1; NP_001336026.1; NP_001336030.1; NP_001336031.1; Accession

NP 001336032.1 ID

Blocking Peptide

EBP05995









Telephone: (650) 697-3600

Peptide with sequence AENSVLTSTTGRT-C, from the N Terminus of the protein sequence according to

Immunogen NP_060568.3; NP_001245244.1; NP_001336023.1; NP_001336026.1; NP_001336030.1; NP_001336031.1;

NP_001336032.1.

This antibody is expected to recognise NP_001245244.1 (iso a), NP_060568.3 (iso b), NP_001336023.1 (iso c), **Product**

NP 001336026.1 (iso d), NP 001336030.1 (iso e), NP 001336031.1 (iso f); NP 001336032.1 (iso g) Comments

Peptide

Sequence

AENSVLTSTTGRT-C

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted Species

Human

Reactive

Human

Species

Human 1894

Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection

Antibody detection limit dilution 1:128000.

Limit

Type

Application

Pep-ELISA, IF, FC

GALLERY IMAGES

