


Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-EHD2 ANTIBODY



















Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias

FLJ96617|EH domain containing 2|EH-domain containing 2|PAST2|EHD2

Names

Immunofluorescence: Strong expression of the protein seen in the plasma membrane of A431 Usage cells and the nuclei of HeLa cells. Recommended concentration: 10µg/ml. Flow Cytometry: Summary

Flow cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.

Accession

ID

NP_055416.2

Blocking

EBP06493 **Peptide**

Immunogen | NP_055416.2. Peptide with sequence CRLVPPSKRRHKGSA, from the C Terminus of the protein sequence according to

Product

Comments

This antibody is expected to recognise EHD1 protein as well as EHD2.

Peptide

Sequence

CRLVPPSKRRHKGSA

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

Human

Shipping

Refrigerated Instructions

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human Gene ID

30846

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png

ELISA

Detection

Antibody detection limit dilution 1:64000.

Limit Western

Approx 70-75kDa band observed in Human Lung , Colon and Placenta lysates (calculated MW of 61.2kDa according to NP_055416.2). The observed molecular weight is observed by otherr sources. Recommended concentration:

0.1- $0.3\mu g/ml$. Primary incubation 1 hour at room temperature.

Application

Type

Blot

Pep-ELISA, WB, IF, FC

GALLERY IMAGES



Telephone: (650) 697-3600



