

GOAT ANTI-EIF3E ANTIBODY

SKU: EB10524

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	EIF3E mammary tumor-associated protein INT INT6 eukaryotic translation initiation factor 3, subunit
Alias	E eukaryotic translation initiation factor 3, subunit 6 48kDa eukaryotic translation initiation factor 3, subunit 6
Names	(48kD) EIF3S6 EIF3-P48 eIF3-p46
Accession ID	NP_001559.1
Blocking Peptide	EBP10524
Immunogen	Peptide with sequence C-KLNQNSRSEAPN, from the C Terminus of the protein sequence according to NP_001559.1.
Peptide Sequence	C-KLNQNSRSEAPN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog, Cow, Pig
Reactive Species	Human
Human Gene ID	3646
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx 50kDa band observed in lysates of cell line Daudi (calculated MW of 52.2kDa according to NP_001559.1). Recommended concentration: 0.03-0.1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa