


GOAT ANTI-ELF3 / ERT/ ESX ANTIBODY

SKU: EB05503



SPECIFICATIONS

| | |
|--------------------------------|--|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias / Names | ELF3 ERT E74-like factor 3 (ets domain transcription factor, epithelial-specific) EPR-1 ESE-1 E74-like factor 3 (ets domain transcription factor) ets domain transcription factor, serine box (epithelial-specific) E74-like factor 3 (ETS domain transcription factor, serine box, epithelial-specific) |
| Accession ID | NP_004424.2 |
| Blocking Peptide | EBP05503 |
| Immunogen | Peptide with sequence C-SGWKEEEVLQSRN, from the C Terminus of the protein sequence according to NP_004424.2. |
| Peptide Sequence | C-SGWKEEEVLQSRN |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human |
| Reactive Species | Human |
| Human Gene ID | 1999 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:32000. |
| Western Blot | Approx 48 kDa band observed in NCI-H460 lysate (calculated MW of 41.5kDa according to NP_004424.2). In transfected HEK293 transiently expressing ELF3 a band of approx. 40kDa is observed. This band is not observed in the non-transfected HEK293. Recommended for use at 2-4µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

