

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ENDOPHILIN-A1 / SH3GL2 ANTIBODY

SKU: EB11694



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

bA335L15.1 (SH3-domain GRB2-like 2)|CNSA2|EEN-B1|endophilin|Endophilin A1 BAR Synonym /

domain|endophilin-1|FLJ20276|FLJ25015|OTTHUMP00000021084|SH3 domain protein 2A|SH3 domain-**Alias**

containing GRB2-like protein 2|SH3D2A|SH3-domain GRB2-like 2|SH3GL2|SH3P4 Names

Accession

NP_003017.1

Blocking

EBP11694 **Peptide**

Peptide with sequence C-SLEFPTGDSTQPN, from the internal region of the protein sequence according to **Immunogen**

NP 003017.1.

Peptide Sequence

C-SLEFPTGDSTQPN

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Pig **Species**

Reactive

Human **Species**

Human

6456 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results

In paraffin embedded Human Cerebral Cortex shows staining of cytoplasm in some but not all neuronal cells.

Recommended concentration, 5-10µg/ml.

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Western Approx 38kDa band observed in Human Brain (Frontal Cortex) lysates (calculated MW of 40.0kDa according to

NP_003017.1). Recommended concentration: 0.3-1µg/ml. Blot

Application

Pep-ELISA, WB, IHC Type

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

