



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-EPHX2 ANTIBODY

SKU: EB12762



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

EPHX2|epoxide hydrolase 2, cytoplasmic|CEH|SEH|bifunctional epoxide hydrolase 2|epoxide hydratase|epoxide

hydrolase 2, cytosolic|epoxide hydrolase, soluble Names

Accession

NP_001970.2; NP_001243411.1; NP_001243412.1

Blocking

EBP12762 **Peptide**

Peptide with sequence C-SRTFKSLFRASDES, from the internal region of the protein sequence according to **Immunogen**

NP_001970.2; NP_001243411.1; NP_001243412.1.

Product This antibody is expected to recognize all reported isoforms (NP_001970.2; NP_001243411.1;

NP_001243412.1). Reported variants represent identical protein: NP_001243413.1, NP_001243411.1. Comments

Peptide

C-SRTFKSLFRASDES Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human

Species Reactive

Human

Species

2053

Human

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:2000.

Limit

Western Approx 60kDa band observed in Human Kidney lysates (calculated MW of 57.1kDa according to

NP_001243411.1). Recommended concentration: 0.3-1µg/ml. Blot

Application

Pep-ELISA, WB Type

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa