

GOAT ANTI-F2R / PAR1 ANTIBODY

SKU: EB09268

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	thrombin receptor protease-activated receptor 1 coagulation factor II receptor TR PAR1 HTR CF2R coagulation
Alias	factor II (thrombin) receptor F2R
Names	
Accession ID	NP_001983.2
Blocking Peptide	EBP09268
Immunogen	Peptide with sequence C-TRARRPESKATNAT, from the Internal region (near N Terminus) of the protein sequence according to NP_001983.2.
Peptide Sequence	C-TRARRPESKATNAT
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	2149
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 48kDa band observed in lysates of cell line HeLa (calculated MW of 47.4kDa according to NP_001983.2). Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa