

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-F2R / PAR1 ANTIBODY**

**SKU:** EB09268



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias

thrombin receptor|protease-activated receptor 1|coagulation factor II receptor|TR|PAR1|HTR|CF2R|coagulation

factor II (thrombin) receptor|F2R

**Accession** 

Names

ID

NP\_001983.2

**Blocking** 

EBP09268 **Peptide** 

**Immunogen** 

Peptide with sequence C-TRARRPESKATNAT, from the Internal region (near N Terminus) of the protein

sequence according to NP\_001983.2.

**Peptide** 

Sequence

C-TRARRPESKATNAT

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Instructions

Refrigerated

**Predicted** 

**Species** 

Human

Reactive

Human **Species** 

Human

2149 Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:64000.

Limit

Western

Approx 48kDa band observed in lysates of cell line HeLa (calculated MW of 47.4kDa according to

**Blot** 

NP\_001983.2). Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature.

**Application** 

Type

Pep-ELISA, WB

## **GALLERY IMAGES**



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa