

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-FACT / SUPT16H ANTIBODY**

**SKU:** EB06987



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa







## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

facilitates chromatin remodeling 140 kDa subunit|FLJ34357|chromatin-specific transcription elongation factor large subunit|SPT16/CDC68|FLJ14010|FLJ10857|FACTP140|CDC68|HGNC:11465|suppressor of Ty 16 homolog

(S. cerevisiae)|FACT|SUPT16H Names

**Accession** 

**Alias** 

NP\_009123.1 ID

**Blocking** 

EBP06987 **Peptide** 

**Immunogen** 

Peptide with sequence C-DLTNKEGKKPEEK, from the internal region of the protein sequence according to

NP 009123.1.

**Peptide** 

C-DLTNKEGKKPEEK

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Pig, Cow **Species** 

Reactive

Human **Species** 

Human

11198 Gene ID

**Product** https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

**Detection** Antibody detection limit dilution 1:8000.

Limit

Approx 150kDa band observed in lysates of cell line HeLa (calculated MW of 120kDa according to

Western Blot

NP\_009123.1). Recommended concentration: 0.1-0.3µg/ml. An additional band of unknown identity was also

consistently observed at 30kDa. This band was successfully blocked by incubation with the immunising

peptide. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB **Type** 

## **GALLERY IMAGES**



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

37kDa

50kDa

25kDa 20kDa

15kDa