

# GOAT ANTI-FANCL ANTIBODY

**SKU:** EB10141



250kDa  
150kDa  
100kDa  
75kDa  
  
50kDa  
  
37kDa  
  
25kDa  
20kDa  
  
15kDa

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /**

**Alias Names** FAAP43|Fanconi anemia, complementation group L|FLJ10335|PHD finger protein 9|PHF9|POG|FANCL

**Accession ID** NP\_001108108.1; NP\_060532.2

**Blocking Peptide** EBP10141

**Immunogen** Peptide with sequence C-QNLKDVLEIDFP, from the internal region of the protein sequence according to NP\_001108108.1; NP\_060532.2.

**Product Comments** This antibody is expected to recognize both isoforms (NP\_001108108.1; NP\_060532.2).

**Peptide Sequence** C-QNLKDVLEIDFP

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Dog, Cow

**Reactive Species** Human

**Human Gene ID** 55120

**Mouse Gene ID** 67030

**Rat Gene ID** 305600

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:16000.

**Western Blot** Approx 45kDa band observed in Human Bone Marrow lysates (calculated MW of 43.4kDa according to NP\_001108108.1). Recommended concentration: 1-3µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

