




## **GOAT ANTI-FBP17 / FNBP1 ANTIBODY**

**SKU:** EB06491



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

**Alias** 

MGC126804|formin-binding protein 17|formin binding protein 1|KIAA0554|FBP17|FNBP1

**Names** 

**Accession** 

ID

**Blocking** 

EBP06491

**Peptide** 

Peptide with sequence KQLESSKRRFERDC, from the internal region of the protein sequence according to **Immunogen** 

NP\_055848.1.

NP\_055848.1

**Peptide** Sequence

KQLESSKRRFERDC

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Instructions

Refrigerated





Telephone: (650) 697-3600



**Predicted** 

Human, Mouse, Rat, Dog, Pig, Cow

**Species** Reactive

Human

**Species** 

Human

23048 **Gene ID** 

**Product** Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

IHC Results Paraffin embedded Human Tonsil and Small Intestine. Recommended concentration: 3.75µg/ml.

**ELISA** 

Detection

Antibody detection limit dilution 1:32000.

Limit

Approx 70kDa band observed in Human Testis lysates (calculated MW of 71.3kDa according to NP 055848.1).

**Blot** Recommended concentration: 0.25-2µg/ml.


**Application** 


Western

**Type** 

Pep-ELISA, WB, IHC

## **GALLERY IMAGES**





250kDa 150kDa 75kDa 50kDa 37kDa 25kDa 20kDa





Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600