



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-FEM1C ANTIBODY**

**SKU:** EB05044



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

feminization 1 homolog a|fem-1 homolog c (C.elegans)|KIAA1785|FEM1A|FEM1C

**Unit Size** 100 μg

Instructions Aliquot and store at -20°C. Minimize freezing and thawing. Storage

Synonym /

**Alias** Names

Accession NP\_064562.1

**Blocking** 

EBP05044 **Peptide** 

Peptide with sequence C-HIPEKLETFVSLHR, from the C Terminus of the protein sequence according to **Immunogen** 

NP 064562.1.

**Peptide** C-HIPEKLETFVSLHR Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Cow **Species** 

Reactive

Mouse, Rat **Species** 

Human

56929 Gene ID

Mouse

240263 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

**Detection** Antibody detection limit dilution 1:8000.

Limit

Western Approx 75kDa band observed in Rat heart and kidney lysates (calculated MW of 68.6kDa according to mouse

**Blot** NP\_775599.1). Recommended concentration: 0.3-1µg/ml.

**Application** 

Pep-ELISA, WB Type

## **GALLERY IMAGES**



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa