

GOAT ANTI-FEM1C ANTIBODY

SKU: EB05044

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

| | |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Instructions | |
| Synonym / | |
| Alias | feminization 1 homolog a fem-1 homolog c (C.elegans) KIAA1785 FEM1A FEM1C |
| Names | |
| Accession ID | NP_064562.1 |
| Blocking Peptide | EBP05044 |
| Immunogen | Peptide with sequence C-HIPEKLETFVSLHR, from the C Terminus of the protein sequence according to NP_064562.1. |
| Peptide Sequence | C-HIPEKLETFVSLHR |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse, Rat, Dog, Cow |
| Reactive Species | Mouse, Rat |
| Human Gene ID | 56929 |
| Mouse Gene ID | 240263 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:8000. |
| Western Blot | Approx 75kDa band observed in Rat heart and kidney lysates (calculated MW of 68.6kDa according to mouse NP_775599.1). Recommended concentration: 0.3-1µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa