

GOAT ANTI-FGF8 ANTIBODY

SKU: EB09163

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias	FGF8 fibroblast growth factor 8 (androgen-induced) AIGF HBGF-8 MGC149376 OTTHUMP0000020348 OTTHUMP0000020349 OTTHUMP0000020350 OTTHUMP0000020351 androgen-induced growth factor fibroblast growth factor 8
Accession ID	NP_149355.1; NP_006110.1; NP_149354.1; NP_149353.1
Blocking Peptide	EBP09163
Immunogen	Peptide with sequence C-HTTEQSLRFEFLNYP, from the internal region of the protein sequence according to NP_149355.1; NP_006110.1; NP_149354.1; NP_149353.1.
Product Comments	This antibody is expected to recognize all reported isoforms (NP_149355.1; NP_006110.1; NP_149354.1; NP_149353.1)
Peptide Sequence	C-HTTEQSLRFEFLNYP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig
Reactive Species	Human
Human Gene ID	2253
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 25kDa band observed in lysates of cell line Jurkat (calculated MW of 24.7 according to NP_006110.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa