



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-FGFR2 ANTIBODY**

**SKU:** EB08456



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

K-SAM|JWS|ECT1|CFD1|CEK3|CD332|BFR-1|BEK|fibroblast growth factor receptor 2 (bacteria-expressed kinase, Synonym / keratinocyte growth factor receptor, craniofacial dysostosis 1, Crouzon syndrome, Pfeiffer syndrome, Jackson-

Names Weiss syndrome)|FGFR2

NP\_000132.3; NP\_075259.4; NP\_001138385.1; NP\_001138386.1; NP\_001138387.1; NP\_001138388.1; Accession

NP 001138390.1; NP 001138391.1

**Blocking** 

**Alias** 

EBP08456

**Peptide** 

Peptide with sequence C-GREKEITASPDY, from the internal region of the protein sequence according to

Immunogen NP\_000132.3; NP\_075259.4; NP\_001138385.1; NP\_001138386.1; NP\_001138387.1; NP\_001138388.1;

NP\_001138390.1; NP\_001138391.1.

**Product** This antibody is expected to recognise all reported isoforms except isoform 7 (NP\_001138389.1). The

**Comments** immunizing peptide represents part of the extracellular domain.

**Peptide** 

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

C-GREKEITASPDY

Shipping

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Pig, Cow

**Species** Reactive

**Species** 

Human Gene ID

2263

Mouse Gene ID

14183

Human

Rat Gene ID 25022

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

Detection Antibody detection limit dilution 1:64000.

Limit

Western Blot

Approx 100kDa band observed in Human lysates of cell line A549 (calculated MW of 92.0kDa according to NP\_000132.1 and of 92.1kDa according to NP\_075259.2). Recommended concentration: 0.3-1µg/ml.

**Application** 

**Type** 

Pep-ELISA, WB



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa