

# GOAT ANTI-FGR ANTIBODY

**SKU:** EB05218



## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	proto-oncogene tyrosine-protein kinase FGR p55-c-fgr protein c-src-2 proto-oncogene c-fgr protooncogene OTTHUMP00000003603 p58c-fgr p55c-fgr c-src2 c-fgr MGC75096 FLJ43153 Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene Oncogene FGR SRC2 Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog FGR
<b>Accession ID</b>	NP_001036194.1; NP_001036212.1; NP_005239.1
<b>Blocking Peptide</b>	EBP05218
<b>Immunogen</b>	Peptide with sequence C-TSAEPQYQPGDQT, from the C Terminus of the protein sequence according to NP_001036194.1; NP_001036212.1; NP_005239.1.
<b>Product Comments</b>	This antibody is expected to recognise all three reported isoforms (NP_001036194.1; NP_001036212.1; NP_005239.1).
<b>Peptide Sequence</b>	C-TSAEPQYQPGDQT
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Dog
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	2268
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:128000.
<b>Western Blot</b>	Approx 60kDa band observed in Human peripheral blood monocytes lysate (calculated MW of 59.5kDa according to NP_001036194.1). Recommended concentration: 0.3-1µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

