

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-FIBRILLARIN / FBL ANTIBODY

SKU: EB11640







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

rRNA 2'-O-methyltransferase fibrillarin|RNU3IP1|RNA, U3 small nucleolar interacting protein **Alias**

1|FLRN|fibrillarin|FIB|FBL|34-kD nucleolar scleroderma antigen|34 kDa nucleolar scleroderma antigen Names

Accession

NP 001427.2 ID

Blocking

EBP11640 **Peptide**

Peptide with sequence C-KRVSISEGDDKIEYR, from the internal region of the protein sequence according to **Immunogen**

NP 001427.2.

Peptide Sequence

C-KRVSISEGDDKIEYR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow **Species**

Reactive

Human **Species**

Human

2091 Gene ID

Mouse

14113 Gene ID

Rat Gene ID 292747

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx 35kDa band observed in lysates of cell line HEK293 (calculated MW of 33.8kDa according to NP_001427.2). Recommended concentration: 1-3μg/ml. Primary incubation 1 hour at room temperature. Blot

Application

Pep-ELISA, WB **Type**





Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa