

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-FIBRINOGEN BETA CHAIN ANTIBODY**

**SKU:** EB12379



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** FGB|fibrinogen beta chain|fibrinogen, B beta polypeptide

Names

**Accession** 

NP\_005132.2; NP\_001171670.1

**Blocking** 

EBP12379 **Peptide** 

Peptide with sequence C-RSKIQKLESDVSAQ, from the internal region of the protein sequence according to **Immunogen** 

NP\_005132.2; NP\_001171670.1.

**Product Comments** 

This antibody is expected to recognize both reported isoforms (NP 005132.2; NP 001171670.1).

**Peptide** 

Sequence

C-RSKIQKLESDVSAQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human, Dog

Human

**Species** 

Reactive

**Species** 

Human 2244

Gene ID

**Product** Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

**ELISA** 

**Detection** Antibody detection limit dilution 1:128000.

Limit

Western Approx 60kDa band observed in Human Liver lysates (calculated MW of 55.9kDa according to NP\_005132.2).

Recommended concentration: 0.3-1µg/ml. Blot

**Application** 

Pep-ELISA, WB Type

## **GALLERY IMAGES**





Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa