



GOAT ANTI-FIBRINOGEN GAMMA CHAIN (AA166-178) ANTIBODY

SKU: EB12380





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias**

fibrinogen, gamma polypeptide|fibrinogen gamma chain|FGG

Names

Accession

NP_000500.2; NP_068656.2

Blocking

EBP12380 **Peptide**

Peptide with sequence C-KDTVQIHDITGKD, from the internal region of the protein sequence according to **Immunogen**

NP_000500.2; NP_068656.2.

Product Comments

This antibody is expected to recognize both reported isoforms (NP 000500.2; NP 068656.2).

Peptide

Sequence

C-KDTVQIHDITGKD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

2266 Gene ID

Product

Grade

ELISA

Detection

Antibody detection limit dilution 1:128000.

Limit

Western Approx 50kDa band observed in Human Plasma and Human Platelets lysates (calculated MW of 49.5kDa

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

according to NP_000500.2). Recommended concentration: 0.01-0.03µg/ml. Blot

Application

Pep-ELISA, WB Type

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa