

GOAT ANTI-FLVCR ANTIBODY

SKU: EB06563

250kDa
150kDa
100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	FLVCR protein feline leukemia virus subgroup C cellular receptor FLVCR
Names	
Accession ID	NP_054772.1
Blocking Peptide	EBP06563
Immunogen	Peptide with sequence C-KTVMLSKQSESAI, from the C Terminus of the protein sequence according to NP_054772.1.
Peptide Sequence	C-KTVMLSKQSESAI
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	28982
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 55kDa band observed in Human Bone Marrow lysates (calculated MW of 59.9kDa according to NP_054772.1). Recommended concentration: 0.1-0.3µg/ml. An additional band of unknown identity was also consistently observed at 26kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? Anonymous customer reported successfully use in WB on cell line K562.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa