

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-FOXC1 (INTERNAL) ANTIBODY

SKU: EB07038





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

FOXC1|forkhead box C1|HGNC:3800|ARA|FKHL7|FREAC3|IGDA|IHG1|IRID1|Forkhead, drosophila, homolog-like

Alias 7|forkhead (Drosophila)-like 7|forkhead-related activator 3|iridogoniodysgenesis type 1|myeloid factor-

delta|FREAC-3|RIEG3|forkhead/winged helix-like transcription factor 7 Names

Accession

NP_001444.2 ID

Blocking

EBP07038 **Peptide**

Peptide with sequence C-DAVKDKEEKDRLH, from the internal region of the protein sequence according to **Immunogen**

NP 001444.2.

Peptide Sequence

C-DAVKDKEEKDRLH

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Pig **Species**

Reactive

Human **Species**

Human

2296 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx 55kDa band observed in lysates of cell line HEK293 (calculated MW of 56.8kDa according to

Blot NP_001444.2). Recommended concentration: 2-4µg/ml.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa