

GOAT ANTI-FSCN1 ANTIBODY

SKU: EB08345

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	FSCN1 fascin homolog 1, actin-bundling protein (Strongylocentrotus purpuratus) FLJ38511 SNL p55 Singed,
Alias	drosophila, homolog-like actin bundling protein fascin 1 singed singed-like (fascin homolog, sea urchin)
Names	
Accession ID	NP_003079.1
Blocking Peptide	EBP08345
Immunogen	Peptide with sequence RDTKKCAFRTHT, from the internal region of the protein sequence according to NP_003079.1.
Peptide Sequence	RDTKKCAFRTHT
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Cow
Reactive Species	Human
Human Gene ID	6624
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 50kDa band observed in Human Skeletal Muscle lysates (calculated MW of 54.5kDa according to NP_003079.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa