

GOAT ANTI-FSD1 ANTIBODY

SKU: EB07109

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	FSD1 fibronectin type III and SPRY domain containing 1 HGNC:13745 MGC3213 MIR1 fibronectin type 3 and
Alias	SPRY (spla, ryanodine) domain containing (with coiled-coil motif) 1 fibronectin type 3 and SPRY domain
Names	containing 1 fibronectin type 3 and SPRY domain-containing protein
Accession ID	NP_077309.1
Blocking Peptide	EBP07109
Immunogen	Peptide with sequence C-KVQDIKAREKDGKGR, from the internal region of the protein sequence according to NP_077309.1.
Peptide Sequence	C-KVQDIKAREKDGKGR
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	79187
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 55kDa band observed in Human Brain (Frontal Cortex) lysates (calculated MW of 55.8kDa according to NP_077309.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa