

# GOAT ANTI-FTH1 ANTIBODY

**SKU:** EB09091



## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym / Alias Names** proliferation-inducing protein 15|placenta immunoregulatory factor|apoferritin|PLIF|PIG15|MGC104426|FTHL6|FTH|FHC|ferritin, heavy polypeptide 1|FTH1

**Accession ID** NP\_002023.2

**Blocking Peptide** EBP09091

**Immunogen** Peptide with sequence C-DKHTLGSDNES, from the C Terminus of the protein sequence according to NP\_002023.2.

**Peptide Sequence** C-DKHTLGSDNES

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	2495
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	Paraffin embedded Human Cerebral Cortex. Recommended concentration: 5µg/ml.
<b>ELISA</b>	
<b>Detection Limit</b>	Antibody detection limit dilution 1:2000.
<b>Western Blot</b>	Approx 20kDa band observed in Human Placenta lysates (calculated MW of 21.2kDa according to NP_002023.2). Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

