

## GOAT ANTI-FTL, BIOTINYLATED ANTIBODY

**SKU:** EB09092-B

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /**

**Alias** MGC71996|L apoferitin|ferritin light chain|ferritin light polypeptide-like 3|ferritin L-chain|ferritin L subunit|NBIA3|LFTD|ferritin, light polypeptide|FTL

**Names**

**Accession ID** NP\_000137.2

**Blocking Peptide** EBP09092-B

**Immunogen** Peptide with sequence C-GEYLFERLTLKHD., from the C Terminus of the protein sequence according to NP\_000137.2.

**Peptide Sequence** C-GEYLFERLTLKHD.

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Dog, Cow

**Reactive Species** Human, Mouse, Rat

**Human Gene ID** 2512

**Mouse Gene ID** 14325

**Rat Gene ID** 29292

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:128000.

**Western Blot** Approx 20kDa band observed in Rat Brain lysates (calculated MW of 20.7kDa according to Rat NP\_071945.3). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 1-3µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa