



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-GATA5 ANTIBODY

SKU: EB07450



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa 75kDa


50kDa

37kDa

25kDa 20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

GATA5|GATA binding protein 5|bB379024.1|GATA binding factor-5|GATA-binding protein 5|transcription factor

GATA-5 Names

Accession

NP_536721.1

Blocking

EBP07450 **Peptide**

Peptide with sequence C-ELAARPGWAQTATAD, from the internal region of the protein sequence according to **Immunogen**

NP 536721.1.

Peptide

Sequence

C-ELAARPGWAQTATAD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human

Reactive

Human **Species**

Human

140628 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:32000.

Limit

Western Approx 40kDa band observed in lysates of liver cell line HepG2 (calculated MW of 41.3kDa according to

Blot NP_536721.1). Recommended concentration: 0.3-1µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa

10kDa