


Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-GLUT2 ANTIBODY**

**SKU:** EB09481



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** GLUT2|solute carrier family 2 (facilitated glucose transporter), member 2|SLC2A2

**Names** Usage

<strong>Immunofluorescence:</strong> Strong expression of the protein seen in the membranes of HepG2 and in

the membranes and nuclei of MCF7 cells. Recommended concentration: 10μg/ml. <strong>Flow

Cytometry:</strong> Flow cytometric analysis of HepG2 cells. Recommended concentration: 10ug/ml.

Accession

**Summary** 

NP\_000331.1 ID

**Blocking Peptide** 

EBP09481

Peptide with sequence C-RKEREEASSEQKVS, from the internal region of the protein sequence according to **Immunogen** 

NP 000331.1.









**Peptide** 

C-RKEREEASSEQKVS

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Cow, Pig **Species** 

Reactive

Human Species

Human

6514

**Gene ID Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_plus\_medium.png Grade

**IHC Results** 

In paraffin embedded Human Liver shows strong staining of the endothelial lining cells. Recommended

concentration: 2-6µg/ml.

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:8000.

Limit

Type

 $\textbf{Application} \quad \text{Pep-ELISA, IHC, IF, FC}$ 

## **GALLERY IMAGES**

