

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-GPR125 ANTIBODY

SKU: EB08535



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

TEM5-like|TEM5L|PGR21|G protein-coupled receptor 125|GPR125

Names

Accession

NP_660333.2

Blocking

ID

Peptide

EBP08535

Peptide with sequence CTNKSASSFKNS, from the internal region of the protein sequence according to **Immunogen**

NP 660333.2.

Peptide

Sequence

CTNKSASSFKNS

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Human

70693

Predicted

Species

Human, Mouse

Reactive

Species

Human

166647 Gene ID

Mouse

Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results

Paraffin embedded Human Brain (Cortex). Recommended concentration: 3.75µg/ml. A customer reported

successful results on Human Testis.

ELISA

Detection Antibody detection limit dilution 1:8000.

Limit

Western **Blot**

Type

Approx 140kDa band observed in Human Ovary lysates (calculated MW of 146kDa according to NP_660333.2). Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour. An additional band of unknown identity was also consistently observed at 33kDa. This band was successfully blocked by incubation with the

immunising peptide.

Application

Pep-ELISA, WB, IHC

Goat Anti-GPR125 Antibody https://everestbiotech.com/products/goat-anti-gpr125-antibody/







GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

