



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-GPR17 ANTIBODY**

**SKU:** EB09692



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** DKFZp686M18273|G protein-coupled receptor 17|GPR17

Names

Usage <strong>Immunofluorescence:</strong> Strong expression of the protein seen in the vesicles of HeLa cells

and additionally in the plasma membrane of U251 cells. Recommended concentration: 10µg/ml. Summary

Accession

NP\_005282.1

**Blocking** 

ID

EBP09692 **Peptide** 

Peptide with sequence C-EGKTNESSLSAKSE, from the C Terminus of the protein sequence according to **Immunogen** 

NP 005282.1.

**Peptide** 

Sequence

C-EGKTNESSLSAKSE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

**Predicted** 

Human, Mouse, Rat, Cow **Species** 

Reactive

Human, Mouse **Species** 

Human

2840 Gene ID

Mouse

574402 Gene ID

**Rat Gene ID** 767613

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

**Detection** 

Antibody detection limit dilution 1:4000.

Limit

Western Approx 40kDa band observed in Mouse Brain lysates (calculated MW of 37.8kDa according to Mouse

NP\_001020552.1 ). Recommended concentration: 2-3µg/ml. Primary incubation 1 hour at room temperature. **Blot** 

**Application** 

**Type** 

Pep-ELISA, WB, IF





## **GALLERY IMAGES**

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



