

GOAT ANTI-GRHR / LRHR ANTIBODY

SKU: EB07546

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias	type I GnRH receptor luliberin receptor leutinizing-releasing hormone receptor leutinizing hormone releasing hormone receptor gonadotropin-releasing hormone (type 1) receptor 1 LHRHR GRHR GNRHR1 gonadotropin-releasing hormone receptor LRHR GNRHR
Accession ID	NP_000397.1; NP_001012781.1
Blocking Peptide	EBP07546
Immunogen	Peptide with sequence C-QKWTQKKEKGK, from the internal region of the protein sequence according to NP_000397.1; NP_001012781.1.
Peptide Sequence	C-QKWTQKKEKGK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog
Reactive Species	Human
Human Gene ID	2798
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 60kDa band observed in Human lysates of Peripheral Blood Mononucleocytes (calculated MW of 37.7kDa according to NP_000397.1). This molecular weight is routinely observed by other sources. Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

