

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-GRHR / LRHR ANTIBODY

SKU: EB07546



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

type I GnRH receptor|Iuliberin receptor|leutinizing-releasing hormone receptor|leutinizing hormone releasing horomone receptor|gonadotropin-releasing hormone (type 1) receptor 1|LHRHR|GRHR|GNRHR1|gonadotropin-

releasing hormone receptor|LRHR|GNRHR Names

Accession

Alias

ID

NP_000397.1; NP_001012781.1

Blocking

EBP07546 **Peptide**

Peptide with sequence C-QKWTQKKEKGK, from the internal region of the protein sequence according to **Immunogen**

NP_000397.1; NP_001012781.1.

Peptide Sequence

C-QKWTQKKEKGK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Dog **Species**

Reactive

Human **Species**

Human

2798 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Approx 60kDa band observed in Human lysates of Peripheral Blood Mononucleocytes (calculated MW of Western

Blot

37.7kDa according to NP_000397.1). This molecular weight is routinely observed by other sources.

Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa