


Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-HERCULIN / MYF6 ANTIBODY





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

MYF6|myogenic factor-6|myogenic factor 6 (herculin)|myogenic factor 6|MRF4|herculin|bHLHc4

Names

Accession

ID

NP_002460.1

Blocking

Peptide

EBP09957

Immunogen

Peptide with sequence C-SYRPKQENLEGAD, from the internal region of the protein sequence according to

NP 002460.1.

Peptide Sequence

C-SYRPKQENLEGAD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Cow, Pig

Reactive

Species

Human

Human

4618 Gene ID

Mouse

17878 Gene ID

Rat Gene ID 25714

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade

ELISA

Limit

Detection Antibody detection limit dilution 1:32000.

Western **Blot**

In transfected HEK293 transiently expressing full-length Human MYF6 (myc and DYKDDDDK tagged), a band of approx. 37kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was

observed using anti-myc tag antibody. Recommended concentration, 0.5-1µg/ml.

Application

Pep-ELISA, WB-Trf **Type**





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

