

GOAT ANTI-HIC1 (AA193-204) ANTIBODY

SKU: EB11678



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	ZNF901 zinc finger and BTB domain-containing protein 29 ZBTB29 hypermethylated in cancer 1 protein hypermethylated in cancer 1 hic-1 HIC1
Accession ID	NP_006488.2; NP_001091672.1
Blocking Peptide	EBP11678
Immunogen	Peptide with sequence NTHCAELYASGP, from the internal region of the protein sequence according to NP_006488.2; NP_001091672.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_006488.2; NP_001091672.1).
Peptide Sequence	NTHCAELYASGP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig
Reactive Species	Mouse
Human Gene ID	3090
Mouse Gene ID	15248
Rat Gene ID	303310
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 75kDa band observed in Mouse Testis lysates (calculated MW of 76.8kDa according to Mouse NP_001091673.1). Recommended concentration: 2-3µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

