

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-HIC2 (AA188-200) ANTIBODY

SKU: EB11680



Telephone: (650) 697-3600



250kDa 150kDa 100kDa


75kDa


50kDa

37kDa

25kDa

20kDa







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

HIC1-related gene on chromosome 22 protein|HIC2|hic-2|hic-3|HRG22|hypermethylated in cancer

Alias Names

2|hypermethylated in cancer 2 protein|ZBTB30|zinc finger and BTB domain-containing protein 30|ZNF907

Accession

ID

NP 055909.2

Blocking

EBP11680 **Peptide**

Peptide with sequence C-PQELPQAKGSDDE, from the internal region of the protein sequence according to **Immunogen**

NP 055909.2.

Peptide

Sequence

C-PQELPQAKGSDDE

58180

Method

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Refrigerated

Shipping

Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow

Species Reactive

Human **Species**

Human

23119 Gene ID

Mouse

Gene ID

Rat Gene ID 287940

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western Approx 60kDa band observed in lysates of cell line HepG2 (calculated MW of 66.2kDa according to

NP_055909.2). Recommended concentration: 0.1-0.3µg/ml. Blot

Application

Pep-ELISA, WB

Type



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa