

GOAT ANTI-HIP14 / ZDHHC17 ANTIBODY

SKU: EB06609

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	zinc finger, DHHC-type containing 17 HSPC294 huntingtin interacting protein 14 huntingtin interacting protein
Alias	3 Huntingtin interacting protein H zinc finger, DHHC domain containing
Names	17 KIAA0946 HYPH HIP3 HIP14 ZDHHC17
Accession ID	NP_056151.2
Blocking Peptide	EBP06609
Immunogen	Peptide with sequence CYDQISGSGYQLV, from the C Terminus of the protein sequence according to NP_056151.2.
Peptide Sequence	CYDQISGSGYQLV
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human, Mouse
Human Gene ID	23390
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Testis. Recommended concentration: 5µg/ml.
ELISA	
Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 70kDa band observed in Mouse Brain lysates (calculated MW of 72.7kDa according to NP_056151.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

