

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-HIP14 / ZDHHC17 ANTIBODY

SKU: EB06609








250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

 $zinc\ finger,\ DHHC-type\ containing\ 17|HSPC294|huntingtin\ interacting\ protein\ 14|huntingtin\ protein\ 14|huntingtin\ protein\ p$

Alias 3|Huntingtin interacting protein H|zinc finger, DHHC domain containing

17|KIAA0946|HYPH|HIP3|HIP14|ZDHHC17 Names

Accession

NP_056151.2

Blocking

EBP06609 **Peptide**

Peptide with sequence CYDQISGSGYQLV, from the C Terminus of the protein sequence according to **Immunogen**

NP 056151.2.

Peptide Sequence

CYDQISGSGYQLV

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Cow **Species**

Reactive

Human, Mouse **Species**

Human

23390 Gene ID

Product

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$ Grade

IHC Results Paraffin embedded Human Testis. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:8000.

Limit

Western Approx 70kDa band observed in Mouse Brain lysates (calculated MW of 72.7kDa according to NP 056151.1).

Blot Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa

10kDa

