

GOAT ANTI-HIP14L / ZDHHC13 ANTIBODY

SKU: EB06640

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym / zinc finger, DHHC-type containing 13|hypothetical protein similar to ankyrin repeat-containing protein

Alias AKR1|huntingtin interacting protein HIP3RP|HIP14-related protein|HIP14-like|zinc finger, DHHC domain

Names containing 13|MGC64994|FLJ10941|FLJ10852|HIP3RP|HIP14L|ZDHHC13

Accession ID NP_061901.2; NP_001001483.1

Blocking Peptide EBP06640

Immunogen Peptide with sequence C-FHPAREKVLRSV, from the C Terminus of the protein sequence according to NP_061901.2; NP_001001483.1.

Product Comments This antibody is expected to recognise both reported isoforms (NP_061901.2 and NP_001001483.1).

Peptide Sequence C-FHPAREKVLRSV

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat

Reactive Species Human

Human Gene ID 54503

Mouse Gene ID 243983

Rat Gene ID 365252

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Lung. Recommended concentration: 5µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx. 70kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 70.9kDa according to NP_061901.2). Recommended concentration: 1-3µg/ml.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

