

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-HOXA10, BIOTINYLATED ANTIBODY**

**SKU:** EB12204-B



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

HOXA10|homeobox A10|HOX1|HOX1.8|HOX1H|PL|homeo box A10|homeobox protein 1H|homeobox protein

HOXA10|homeobox protein Hox-1.8|homeobox protein Hox-1H

Names **Accession** 

ID

NP\_061824.3

**Blocking** 

EBP12204-B **Peptide** 

Peptide with sequence PQATSCSFAQNIKE., from the internal region of the protein sequence according to **Immunogen** 

NP 061824.3.

**Peptide** 

POATSCSFAONIKE. Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Pig, Cow

**Species** Reactive

Human **Species** 

Human

3206 Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:32000.

Limit

Western Approx 38kDa band observed in Human Skeletal Muscle lysates (calculated MW of 42.4kDa according to

**Blot** NP\_061824.3. Recommended concentration: 0.2-0.6µg/ml.

**Application** 

Type

Pep-ELISA, WB,

## **GALLERY IMAGES**







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa