

## GOAT ANTI-HOXC8 ANTIBODY

**SKU:** EB10335

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /**

**Alias** HOXC8|HOX3A|Hox-3.1, mouse, homolog of|HOX3|homeobox protein Hox-C8|homeobox C8|homeo box C8|homeo box 3A

**Names**

**Accession ID** NP\_073149.1

**Blocking Peptide** EBP10335

**Immunogen** Peptide with sequence C-SLYGAQQEAS, from the internal region of the protein sequence according to NP\_073149.1.

**Peptide Sequence** C-SLYGAQQEAS

**Purification** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

**Method** using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Dog

**Reactive Species** Human, Mouse

**Human Gene ID** 3224

**Mouse Gene ID** 15426

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:2000.

**Western Blot** Approx 30kDa band observed in Human Peripheral Blood Mononucleocytes lysates and approx. 33kDa in Mouse Spinal Cord lysates (calculated MW of 27.8kDa according to NP\_073149.1). Recommended concentration: 0.1-0.3µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa  
150kDa  
100kDa  
75kDa  
50kDa  
37kDa  
25kDa  
20kDa  
15kDa

250kDa  
150kDa  
100kDa  
75kDa  
50kDa  
37kDa  
25kDa  
20kDa  
15kDa