


GOAT ANTI-HRS / HGS ANTIBODY

SKU: EB07211



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	human growth factor-regulated tyrosine kinase substrate ZFYVE8 HRS HGNC:4897 hepatocyte growth factor-regulated tyrosine kinase substrate HGS
Accession ID	NP_004703.1
Blocking Peptide	EBP07211
Immunogen	Peptide with sequence C-NRNYWEKKQEEARK, from the internal region of the protein sequence according to NP_004703.1.
Peptide Sequence	C-NRNYWEKKQEEARK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated

Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	9146
Mouse Gene ID	15239
Rat Gene ID	56084
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	In paraffin embedded Human Testis shows strong staining of Leydig cells. Recommended concentration: 1-2µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	This antibody has been successfully used in Western Blot on Human: Clancy et al. (2020) https://doi.org/10.1101/2020.04.15.042291 .
Application Type	Pep-ELISA, WB, IHC

SELECTED REFERENCES

[{"pmid": 33507233, "intro": "**This antibody has been successfully used in Western Blot on Human:**", "title": "The deubiquitylase USP9X controls ribosomal stalling", "author": "Clancy et al", "journal": "J Cell Biol. 2021 Mar 1;220(3):e202004211"}]

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

