



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-HSD3B1 ANTIBODY

SKU: EB07218



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

3 beta-and steroid delta-isomerase 1|3 beta- and steroid hydroxy-delta-5-steroid dehydrogenase|Hydroxydelta-5-steroid dehydrogenase|HSDB3|HSD3B|HGNC:5217|hydroxy-delta-5-steroid dehydrogenase, 3 beta- and

Alias steroid delta-isomerase 1|HSD3B1 Names

Accession

NP_000853.1

Blocking

Peptide

EBP07218

Immunogen

Peptide with sequence C-DRHKETLKSKTQ, from the C Terminus of the protein sequence according to

NP 000853.1.

Peptide

Sequence

C-DRHKETLKSKTQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human

Human

Reactive

Species

Human

3283

Gene ID **Product**

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Placenta. Recommended concentration: 3.75µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Blot

Western

Approx 40kDa band observed in Human Placenta and Adrenal Gland lysates (calculated MW of 42.3kDa

according to NP_000853.1). Recommended concentration: 0.003-0.01µg/ml.

Application

Type

Pep-ELISA, WB, IHC

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

