



GOAT ANTI-HSPC117 (AA125-138) ANTIBODY

SKU: EB10955





250kDa 150kDa 100kDa 75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

novel protein HSPC117| hypothetical protein LOC51493| RP1-149A16.6| DJ149A16.6| chromosome 22 open

Alias reading frame 28|C22orf28 Names

Accession

NP_055121.1 ID

Blocking

EBP10955 **Peptide**

Peptide with sequence C-RLLRTNLDESDVQP, from the internal region of the protein sequence according to **Immunogen**

NP 055121.1.

Peptide

C-RLLRTNLDESDVQP Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Cow **Species**

Reactive

Human **Species**

Human

51493 Gene ID

Mouse

28088 Gene ID

Rat Gene ID 362855

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Western Approx 55kDa band observed in lysates of cell line Jurkat (calculated MW of 55.2kDa according to

Blot NP_055121.1). Recommended concentration: 0.05-0.2µg/ml.

Application

Pep-ELISA, WB, IHC **Type**





GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

