


## GOAT ANTI-HSPC117 (AA201-215) ANTIBODY

**SKU:** EB10954



## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	novel protein HSPC117  hypothetical protein LOC51493  RP1-149A16.6  DJ149A16.6  chromosome 22 open reading frame 28 C22orf28
<b>Usage Summary</b>	<strong>Immunofluorescence:</strong> Strong expression of the protein seen in A431 cells. Recommended concentration: 10µg/ml. <p><strong>Flow Cytometry:</strong> Flow cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.</p>
<b>Accession ID</b>	NP_055121.1
<b>Blocking Peptide</b>	EBP10954
<b>Immunogen</b>	Peptide with sequence C-QADPNKVSARAKKR, from the internal region of the protein sequence according to NP_055121.1.
<b>Peptide Sequence</b>	C-QADPNKVSARAKKR
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Dog, Pig, Cow
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	51493
<b>Mouse Gene ID</b>	28088
<b>Rat Gene ID</b>	362855
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png</a>
<b>IHC Results</b>	In paraffin embedded Human Testis shows nuclear and vicinity staining in spermatogonia. Recommended concentration: 5-10µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:64000.
<b>Western Blot</b>	Approx. 55kDa band observed in lysates of cell lines Jurkat, HeLa, HepG2 and A431 and in Human Cerebellum and Ovary lysates (calculated MW of 55.2kDa according to NP_055121.1). Recommended concentration: 0.01-0.03µg/ml. Primary incubation 1 hour at room temperature.
<b>Application Type</b>	Pep-ELISA, WB, IHC, IF, FC

## SELECTED REFERENCES

[{"pmid": 30377371, "intro": "**This antibody has been successfully used in the following paper:**", "title": "A high-throughput pipeline for validation of antibodies", "author": "Krzysztof Sikorski, Adi Mehta, Marit Inngjerdingen, Flourina Thakor, Simon Kling, Tomas Kalina, Tuula A. Nyman, Maria Ekman Stensland, Wei Zhou, Gustavo A. De Souza, Lars Holden, Jan Stuchly, Markus Templin and Fridtjof Lund-Johansen", "journal": "Nat Methods. 2018 Nov;15(11):909-912"}]

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

