

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-HVEM / TR2 ANTIBODY

SKU: EB07020



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

tumor necrosis factor receptor-like gene2|tumor necrosis factor receptor superfamily, member 14|herpesvirus

entry mediator A|herpesvirus entry mediator|CD40-like protein

precursor|LIGHTR|HVEA|ATAR|HGNC:11912|tumor necrosis factor receptor superfamily, member 14 **Names**

(herpesvirus entry mediator)|TNFRSF14|TR2|HVEM

Accession

NP 003811.2

Blocking Peptide

EBP07020

Peptide with sequence C-SVQRKRQEAEGE, from the internal region of the protein sequence according to **Immunogen**

NP 003811.2.

Peptide

C-SVQRKRQEAEGE **Sequence**

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

8764 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx 30kDa band observed in Human Thymus and Tonsil lysates (calculated MW of 30.4kDa according to

NP_003811.2). Recommended concentration: $0.03-0.1 \mu g/ml$. Blot

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa



20kDa

15kDa

