

GOAT ANTI-HVEM / TR2 ANTIBODY

SKU: EB07020

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias tumor necrosis factor receptor-like gene2|tumor necrosis factor receptor superfamily, member 14|herpesvirus entry mediator A|herpesvirus entry mediator|CD40-like protein

Names precursor|LIGHTR|HVEA|ATAR|HGNC:11912|tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)|TNFRSF14|TR2|HVEM

Accession ID NP_003811.2

Blocking Peptide EBP07020

Immunogen Peptide with sequence C-SVQRKRQEAEGE, from the internal region of the protein sequence according to NP_003811.2.

Peptide Sequence C-SVQRKRQEAEGE

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human

Reactive Species Human

Human Gene ID 8764

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 30kDa band observed in Human Thymus and Tonsil lysates (calculated MW of 30.4kDa according to NP_003811.2). Recommended concentration: 0.03-0.1 µg/ml.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

