


GOAT ANTI-ICOS LIGAND / B7-H2 ANTIBODY

SKU: EB12839



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	transmembrane protein B7-H2 ICOS ligand ICOS ligand B7-related protein 1 B7-like protein GI50 B7 homologue 2 B7 homolog 2 LICOS ICOSL ICOS-L GL50 CD275 B7RP1 B7RP-1 B7H2 B7-H2 inducible T-cell co-stimulator ligand ICOSLG
Accession ID	NP_056074.1; NP_001269979.1; NP_001269980.1; NP_001269981.1
Blocking Peptide	EBP12839
Immunogen	Peptide with sequence C-SQTGNDIGERDKIT, from the internal region of the protein sequence according to NP_056074.1; NP_001269979.1; NP_001269980.1; NP_001269981.1.
Product Comments	This antibody is expected to recognize all reported isoforms (NP_056074.1; NP_001269979.1; NP_001269980.1; NP_001269981.1).
Peptide Sequence	C-SQTGNDIGERDKIT
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	23308
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 33kDa band observed in Human Lymph Node lysates (calculated MW of 33.3kDa according to NP_056074.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

